Diaper Rash Algorithm







Diaper Dermatitis Prevention

1. Cleanse with sensitive wipes

2. Apply Cavilon No Sting Barrier q 3 days







Erythematous, non-yeast rash, intact skin, NO bleeding

1. Cleanse with sensitive wipes

2. Apply Cavilon No Sting Barrier q 3 days







Erythematous, non-yeast rash, WITH bleeding

1. Cleanse with water wipes

2. Apply liberal amount of Desitin q diaper change











Erythematous, denuded, nonyeast rash

1. Cleanse with water wipes

2. Apply light dusting of stomahesive powder q day

3. Spray with 3M Cavilon Barrier spray to "crust" powder q day

3. Apply liberal amount of Desitin into diaper every diaper change

AR/KK Revised 8/8/2024

Brandon, D., Hill, C. M., Heimall, L., Lund, C. H., Kuller, J., McEwan, T., & New, K. (2018). Neonatal Skin Care: Evidence-Based Clinical Practice Guideline. (4th ed.) Association of Women's Health, Obstetric and Neonatal

Nurses. https://www.awhonn.org/store/ViewProduct.aspx?id=11678739







Erythematous with yeast rash (bumps), intact skin

1. Cleanse with water wipes

2. Apply Cavilon No Sting Barrier q 3 days







Erythematous denuded, with yeast (bumps) rash

1. Cleanse with water wipes

2. Apply Cavilon No Sting Barrier q 3 days